

## NT 48/1

Compact 48 litre wet & dry multi-purpose vacuum



**Order no.** 1.428-622.0

- All-purpose brush
- Cartridge filter with larger filter area
- Drain hose

### Technical data

<b>EAN code</b>		4039784724952
<b>Current type</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	67
<b>Vacuum</b>	<b>mbar / kPa</b>	200 / 20
<b>Container content</b>	<b>l</b>	48
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>W</b>	max. 1380
<b>Standard nominal size</b>		ID 35
<b>Cable length</b>	<b>m</b>	7.5
<b>Sound pressure level</b>	<b>dB(A)</b>	72
<b>Weight without accessories</b>	<b>kg</b>	10.5
<b>Dimensions (L × W × H)</b>	<b>mm</b>	490 × 390 × 780

### Equipment

<b>Suction hose</b>	<b>m</b>	2.5 / with bend
<b>Suction Tube</b>	<b>Piece(s) × m</b>	2 × 0.5 / Metal
<b>Filter bag</b>	<b>Piece(s)</b>	1 / Paper
<b>Wet and dry floor tool</b>	<b>mm</b>	400
<b>Crevice nozzle</b>		■
<b>Cartridge filter</b>		■
<b>Drain hose</b>		■
<b>Safety class</b>		II
<b>Caster with brake</b>		■

■ included in delivery.



## Container emptying


- Easily accessible drain hose for convenient liquid disposal.



## Accessory storage

- Accessories can be attached to the container at the rear of the machine.

## EQUIPMENT FOR NT 48/1 1.428-622.0



		Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Cartridge filter paper</b>				
Cartridge filter	1	6.414-789.0	Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.	■
<b>BENDS</b>				
<b>Plastic bend</b>				
Plastic bend	2	5.031-718.0	Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
	3	5.031-939.0	Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
Plastic bend, ID 35	4	6.902-009.0	Plastic, ID 35.	□
<b>Bend metal</b>				
Bend, DN 35, metal	5	6.900-519.0	Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	□
Bend, stainless steel ID 35	6	6.903-141.0	Stainless steel and crooked, ID 35	□
<b>SUCTION NOZZLES</b>				
<b>All-purpose brushes</b>				
All-purpose brush	7	6.900-425.0	All-purpose brush PPN_Bristle	■
	8	6.903-863.0	Natural bristles (ox hair), bristle element 120 x 45 mm.	□
<b>All-purpose nozzles (wet/dry)</b>				
Floor tool DN35	9	6.906-512.0	All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	■
Wet and dry floor nozzle	10	2.889-118.0	Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	■
Floor tool DN40-370	11	6.903-018.0	All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	12	6.906-383.0	All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	13	6.906-384.0	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
<b>Crevice nozzles</b>				
Crevice nozzle DN35	14	6.900-385.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 48/1 1.428-622.0



		Order no.	Description	
<b>SUCTION NOZZLES</b>				
<b>Crevice nozzles</b>				
Crevice nozzle	15	6.900-922.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	<input type="checkbox"/>
Crevice nozzle DN40	16	6.903-033.0	Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	<input type="checkbox"/>
	17	6.905-817.0	Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	<input type="checkbox"/>
Crevice nozzle DN35	18	6.906-240.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	<input type="checkbox"/>
<b>Car cleaning nozzles</b>				
Car nozzle DN35	19	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Car nozzle packaged with Signet	20	2.889-356.0		<input type="checkbox"/>
<b>Rubber suction tools, nose 45°</b>				
Rubber suction tools, nose 45°	21	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	22	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Combi-nozzles (dry)</b>				
Combination floor tool (dry)	23	6.906-511.0	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
<b>Pipe dusting nozzles</b>				
BRUSH	24	6.903-035.0	Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	25	6.903-036.0	Plastic, pipe diameter 200 mm	<input type="checkbox"/>
<b>Suction brushes</b>				
Suction brush DN35	26	6.903-862.0	Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Turbo nozzle</b>				
Upholstery nozzle TURBO	27	2.860-113.0	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Floor tool TURBO DN 35/32	28	2.860-114.0	Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 48/1 1.428-622.0



	Order no.	Description	
<b>SUCTION TUBES</b>			
<b>Suction tubes metal</b>			
Suction tube DN35	29	6.900-514.0	Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners. <input checked="" type="checkbox"/>
Suction tube	30	6.900-275.0	Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose. <input type="checkbox"/>
<b>Suction tubes stainless steel</b>			
Suction tube, ID 40	31	6.902-081.0	Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners. <input type="checkbox"/>
Suction tube	32	6.906-531.0	Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners. <input type="checkbox"/>
Suction tube, DN 35	33	6.902-154.0	0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components. <input type="checkbox"/>
<b>Suction tubes plastic</b>			
Suction tube, DN 35	34	6.900-384.0	Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners. <input type="checkbox"/>
<b>SUCTION HOSES</b>			
<b>Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)</b>			
Suction hose C DN35	35	4.440-626.0	2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1. <input checked="" type="checkbox"/>
Extension hose, C 32, C 35 clip system	36	6.906-237.0	Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system. <input type="checkbox"/>
Suction hose	37	6.906-241.0	4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end. <input type="checkbox"/>
	38	4.440-653.0	2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module. <input type="checkbox"/>
	39	6.906-275.0	2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end. <input type="checkbox"/>
Extension hose, C 40	40	6.906-344.0	2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system. <input type="checkbox"/>
Suction hose (clip system), C 35, el.	41	6.906-500.0	4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end. <input type="checkbox"/>
Suction hose	42	6.906-714.0	With bayonet and clip connection. <input type="checkbox"/>

■ Included in delivery. □ Available accessories.


## EQUIPMENT FOR NT 48/1 1.428-622.0



		Order no.	Description	
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)</b>				
Suction hose electrically conducting C40	43	6.907-363.0	Electroconductive suction hose, NW 35. Length: 4 metres.	<input type="checkbox"/>
<b>Repair kits</b>				
Repair set, C 35	44	2.639-682.0	Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
<b>Hose connection</b>				
Adapter, DN 32/35, with internal thread	45	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
<b>Suction hoses with cone connection</b>				
Suction hose, complete	46	4.440-287.0	Standard, 4.0m, ID 35	<input type="checkbox"/>
	47	4.440-263.0	Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 40, 4 m, oil-resistant,	48	4.440-303.0	Oil-resistant.	<input type="checkbox"/>
<b>Suction hoses with distinctive connection for Zone 22</b>				
Suction hose complete B1 M L=8m	49	4.440-013.0	Eight metres long, electroconductive suction hose, NW 35. Screw connections cannot be confused.	<input type="checkbox"/>
<b>Suction hoses others</b>				
Suction hose, complete	50	4.440-461.0	Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
<b>NOZZLE SETS</b>				
Nozzles set DN35	51	2.860-116.0	Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	<input type="checkbox"/>
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Drilling dust tool	52	2.679-000.0	Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
CS 40 Me	53	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>
<b>FILTER T/ NT</b>				
<b>Special filter bags, wet filter bags</b>				
Filter bag 5St. Kae.	54	6.904-211.0	Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	<input type="checkbox"/>
<b>Paper filter bags</b>				
Paper filter bags, 5 x , NT 48, NT 65, NT 70, NT 72, NT 75, NT 80, WET VAC	55	6.904-285.0	5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	<input type="checkbox"/>
<b>Membrane filter / fabric filter</b>				
Membrane filter, NT 27/1, NT 48/1, NT 351	56	6.906-103.0	Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 48/1 1.428-622.0



		Order no.	Description	
<b>CONNECTING SLEEVES</b>				
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>				
C-ID 35 adapter	57	5.407-112.0	Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
<b>Adapter for electric power tools, clip on, el.</b>				
Sleeve for tool C35EL	58	5.453-042.0	3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	59	5.453-048.0	Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	60	5.453-050.0	Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>				
Power tool adapter, threaded, DN 35	61	5.453-016.0	3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
Adapter for electric power tools, screwable, ID 35	62	5.453-026.0	Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	<input type="checkbox"/>
Power tool adapter, threaded, DN 35	63	6.902-059.0	Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	64	6.902-095.0	2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm.External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Reducer (tube -&gt; nozzle)</b>				
Reducer	65	6.902-017.0	Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	66	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
<b>Set reducing / extension sleeves</b>				
Set reducing / extension sleeves	67	2.860-117.0	ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

Available accessories.